



# ACCESS CONTROL

## ACCESS DEVICES



Apartment Complex/Gated Communities • College Residents Halls •  
Mixed Use Buildings Residential • Commercial/Industrial • Parking •  
Self Storage • Maximum Security

ACCESS CONTROL SOLUTIONS

## Secure Card Readers

Wiegand format



Cards/Tags options available

## Card Readers

Stand-alone, RS-485, Wiegand output and AVID readers



## RF Controls

MicroPLUS & MicroCLIK



### ProxPlus Secure Cards

- ProxPlus cards are programmed with a unique identifier, making them extremely secure and difficult to duplicate.



### M Series Readers

- Use these readers only to match to existing Mifare\* Classic 4 or 7 byte UID cards that are already in use.



### Card Scanner

- Optional scanner enables administrators to view card number of unlabeled cards, keeping security intact. Card scanner is required to identify the card code so that it can be entered into the access controller.



### Automated Vehicle ID

- Long Range Vehicle Tag System is adjustable from 8 to 25 feet.
- Includes reader control box.
- Uses passive tags - no batteries to worry about.
- Uses frequency hopping technology in the UHF frequency band (902 - 928 MHz).




### Wiegand Controller

- Store up to 1000 device codes
- 3600 event transaction buffer
- Timed anti-pass back (1-59 minutes)
- Four time zones
- Print menu / Real-time print mode
- 26-bit wiegand format



### Single Door Control

- Programming with hand-held remote or programming cards



### Safety/Convenience

- Provides remote operation of vehicular access gates from the safety and convenience of a vehicle



### Transmitter Options

- Available with 1, 2, 3 or 4\* buttons to control multiple locations
- Range 50-75 ft.

\*4 buttons only available for MicroPLUS\* RF Controls



### PROxmitters™

- Same as the standard transmitter but also include a built-in proximity card.

# ACCESS DEVICES

## Keypads

Stand-alone, RS-485 and  
wiegand output



## Key Switches

Mortise or Ace key cylinders



## Exit Push Buttons

Request To Exit / Door Control



### Intercom Models

- Combine into a common housing with an intercom substation that can be used with some existing intercom systems



### Indoor or Outdoor Use

- Can be mounted on an enclosure for outdoor applications.



### Door Jam Mount

- Model 1211-081 exit button can be mounted into the door jam



### Network Keypads

- For connection to an access controller
- Wiegand or RS-485 output



### Ace Key Cylinder

- The DKS 1210 uses an ACE key cylinder that can be turned ON for constant contact applications, such as holding an electronic gate system open.



### Piezoelectric Exit Switches

- Non-mechanical, just touch the switch button



### Lighted Keys

- Available for night time operation, as well as daytime visibility



### Mounting Options

- Surface, flush, or post mount styles available.



### No Touch Exit Switch

- No touching required. Just place your finger near the red button to exit.

# SPECIFICATIONS

## SECURE READER:

- Output from Reader is 26-bit Wiegand format.
- 13.56 MHz frequency.
- Three-color LEDs (Red, Yellow, Green).
- Read range approximately one inch. Card touch may be required for activation.

### ProxPlus™ Secure Reader

- Reads only DKS ProxPlus Secure Cards & DKS MicroPlus Transmitters w/ ProxPlus Secure Tag which offer an extremely high level of encryption.
- These Readers offer an extremely high level of security.
- Cards are encrypted with additional coding making them almost impossible to duplicate.
- These Card Readers must be connected to an Access Controller (DKS 1830 Series systems). For stand-alone operation see 1520-086, 1520-087 Readers.

### M Series Reader

- 1815-680 and 1815-681 compatible with MIFARE Classic 4 or 7-byte Cards.

## CARD READERS:

- Dry contact relay, wiegand or RS-485 output
- Full line proximity card readers and cards
- Mullion, wall and post mount models
- 125 KHz frequency.
- Read ranges from 2-inches up to 4-inches (50.8mm to 101mm)
- 2 color LED (red/green), Piezo beeper
- 100% weatherproof
- Reverse polarity protection
- AVID readers and tags with range up to 25 feet

## KEY SWITCHES:

- Mortise cylinder can be matched to existing keys and uses a momentary contact switch
- Ace key offers higher security and can latch the contact switch

## RF CONTROLS:

- PROXmtr™ includes a built in proximity card with MicroPlus and MicroCLIK transmitters combining both RF and card access control into a single compact unit
- Dry contact relay, wiegand or RS-485 output

### MicroPLUS®

- Transmitter codes cannot be copied assuring only the original transmitters will activate the access control system
- Over 286,000,000 transmitter codes plus an encrypted "sync" code that changes every time the transmitter is used

### MicroCLIK®

- Over 1,000,000 transmitter codes available
- HomeLink® compatible

## KEYPADS:

- Dry contact relay, wiegand or RS-485 output
- Hold open code
- Back-lighted keypad
- Vandal resistant
- Steel cabinets and stainless steel faceplate
- Designed for outdoor or indoor use
- Available in Surface, flush, or post mount styles.
- 100% weatherproof

## EXIT PUSH BUTTONS:

- Exit push buttons are typically used as "request to exit" devices in Access Control applications
- No Touch button (Model 1211-083) is a contactless alternative to standard push buttons.
- Piezoelectric Switches models 1211-090/091 have selectable illumination status (red, green)



		Max Codes	Facility Codes	Anti-Passback	Transactions Reporting	Time Zones	Hold Open	Output	Power
Key Switch	Mortise Cylinder						No	Dry Contact Switch	N/A
	Ace Cylinder	N/A	N/A	N/A	N/A	N/A	Yes		
Request to Exit	Push Buttons							Dry Contact Switch	12 VDC
	Piezoelectric Buttons	N/A	N/A	N/A	N/A	N/A	N/A		12-24 VDC
Keypads	1506	1000 (4-Digit) / 6 (5-Digit)	N/A	No	No	Yes	Yes	Two (2) Dry Contact Relays	16 VAC
	1515	400 (4-Digit or 5-Digit)						No	One (1) Dry Contact Relay
	RS-485	Dependant on access controller						RS-485	16 VAC
	Wiegand	Dependant on access controller						26-Bit Wiegand	12-24 VAC/VDC
Card Readers	ProxPlus Secure	Dependant on access controller						26-Bit Wiegand	12 VDC
	M Series	Dependant on access controller						26-Bit Wiegand	12 VDC
	1520	1000	Yes	Yes	Yes	Yes	Yes	One (1) Dry Contact Relay	16 VAC 12-24 VDC
	1524		No	No	No	No	No	One (1) Dry Contact Relay	12 VDC
	RS-485	Dependant on access controller						RS-485	12-16 VAC/VDC
	Wiegand	Dependant on access controller						26-Bit Wiegand	12 VDC
MicroPlus RF Controls	8040 Stand-Alone	100	Yes	No	No	No	No	One (1) Dry Contact Relay	12-24 VAC/VDC
	8054 Stand-Alone	1250	No	N/A	Yes	Yes	No		
	RS-485	5300	Yes	Dependant on access controller				RS-485	
	Wiegand	5300	Yes	Dependant on access controller				26, 30, or 31-Bit Wiegand	
	1-2-3-4 Button Transmitters	286 Million	N/A	N/A	N/A	N/A	N/A	Rolling Code	
MicroCLIK RF Controls	8040 Stand-Alone	100	Yes	No	No	No	No	One (1) Dry Contact Relay	12-24 VAC/VDC
	8057 Stand-Alone	16000	No	N/A	Yes	Yes	No		
	RS-485	5300	Yes	Dependant on access controller				RS-485	
	Wiegand	5300	Yes	Dependant on access controller				26, 30, or 31-Bit Wiegand	
	1-2-3 Button Transmitters	1 Million	N/A	N/A	N/A	N/A	N/A	Fixed Code	

# TYPES OF ACCESS DEVICES

## High Security and Standard Card readers

Card readers are ideal for access control where you need to know the who when and where of each system user. DoorKing carries a full line of DKS, AWID and HID proximity card readers and cards. For applications that require a higher level of security than standard Proximity Cards we offer cards with a unique identifier programmed in them, making them extremely secure and difficult to duplicate. A variety of card types include keyfobs, tagged transmitters (ProxMitters), standard cards, ISO graphics cards, and ultra thin adhesive tags for use on phones. Active tags are also available for AVID systems.



## Keypads

Keypads are a simple method to control access without requiring credentials. Access codes can be easily changed for new and departing tenants or workers. DKS Keypads provide access control for virtually any application where digital code entry is desired. Keypads can also be ordered with a built-in intercom sub-station or as a keypad / card reader combination. These vandal resistant keypads use stainless steel faceplates, galvanized steel sub-plates and are housed in a rugged steel cabinet.

## Key Switches

Key switches are the most basic access control where simple entry is needed, or where security guards control entry. Mortise cylinder key switches can be re-keyed by your locksmith to match other access keys. Ace cylinder key switches are used in applications where a higher degree of security is desired. Mortise cylinder key switches are also available with a built-in intercom sub-station.



## RF Controls

RF Controls are the best solution for vehicular access gates, keeping the user in the safety and convenience of their vehicle. MicroPLUS® RF products provide the highest level of security available. There are over 268 million transmitter codes available, plus an encrypted sync code that changes each time the transmitter is used. Our coding and encryption schemes are not shared with other producers (such as automobile manufacturers), resulting in transmitter codes that cannot be duplicated or copied.

**REGIONAL**  
SALES MANAGER  
LOCATIONS

**DOOR KING U.S.A.**

SEATTLE, WA  
INDIANAPOLIS, IN  
SACRAMENTO, CA  
ALBANY, NY  
PHOENIX, AZ  
NASHVILLE, TN  
ATLANTA, GA  
DALLAS, TX  
ORLANDO, FL  
CHARLOTTE, NC  
HOUSTON, TX  
SAN DIEGO, CA  
LEHIGH VALLEY, PA  
LOS ANGELES, CA

**ACCESS CONTROL**  
**ACCESS DEVICES**



MADE IN USA

**DOOR KING, INC.**

Access Control Solutions since 1948

120 S. Glasgow Avenue, Inglewood, California 90301 U.S.A.  
Tel: 310-645-0023 • FAX: 310-641-1586 • www.doorking.com

© 2023 All Rights Reserved. Product specifications may change without notice. Rev. 2/23

DISTRIBUTED BY:

**MEMBER:**

